

ACI MATERIALS JOURNAL

INDEX VOLUME 103, 2006

From a Journal of the American Concrete Institute, January through December 2006



American Concrete Institute®
Advancing concrete knowledge

AMERICAN CONCRETE INSTITUTE, Farmington Hills, Michigan

Remove this section and include it with your January through December 2006 Volume 103 issues of the *ACI Materials Journal*.

A

Admixtures

- Concrete mixtures with high microfines (103-M28) Quiroga, P. N.; Ahn, N.; and Fowler, D. W., July-Aug. 2006 258
- Effect of *w/cm* and high-range water-reducing admixture on forwork pressure and thixotropy of self-consolidating concrete (103-M21) Khayat, K. H., and Assaad, J. J., May-June 2006 186
- Efficiency of fly ash in mitigating alkali-silica reaction based on chemical composition (103-M35) Malvar, L. J., and Lenke, L. R., Sept.-Oct. 2006 319

- Adsorption**—Measuring and predicting transport in composite cementitious barriers (103-M13) Claisse, P. A.; Ganjian, E.; Atkinson, A.; and Tyrer, M., Mar.-Apr. 2006 113

Aggregates

- Concrete mixtures with high microfines (103-M28) Quiroga, P. N.; Ahn, N.; and Fowler, D. W., July-Aug. 2006 258
- Effect of high levels of fines content on concrete properties (103-M53) Katz, A., and Baum, H., Nov.-Dec. 2006 474
- Shrinkage of concrete containing greywacke sandstone aggregate (103-M44) Mackechnie, J. R., Sept.-Oct. 2006 390
- Use of granulated blast-furnace slag in concrete as fine aggregate (103-M23) Yüksel, I.; Özkan, Ö.; and Bilir, T., May-June 2006 203

- Agulló, L.**—Shear failure of steel fiber-reinforced concrete based on push-off tests (103-M27) July-Aug. 2006 251

- Ahn, N.**—Concrete mixtures with high microfines (103-M28) July-Aug. 2006 258

- Air-void**—Air-void system of foamed concrete and its effect on mechanical properties (103-M06) Wee, T.-H.; Babu, D. S.; Tamilselvan, T.; and Lim, H.-S., Jan.-Feb. 2006 45

- Air-void system of foamed concrete and its effect on mechanical properties** (103-M06) Wee, T.-H.; Babu, D. S.; Tamilselvan, T.; and Lim, H.-S., Jan.-Feb. 2006 45

- Alkali**—Engineering properties of alkali-activated fly ash concrete (103-M12) Fernández-Jiménez, A. M.; Palomo, A.; and López-Hombrados, C., Mar.-Apr. 2006 106

Alkali-aggregate reaction

- Constitutive model for alkali-aggregate reactions (103-M22) Saouma, V., and Perotti, L., May-June 2006 194
- Use of fuzzy neural network to evaluate effect of composition of fly ash in suppressing AAR (103-M18) Ming-yu, H., and Ming-shu, T., May-June 2006 161

Alkali-silica reaction

- Constitutive model for alkali-aggregate reactions (103-M22) Saouma, V., and Perotti, L., May-June 2006 194
- Efficiency of fly ash in mitigating alkali-silica reaction based on chemical composition (103-M35) Malvar, L. J., and Lenke, L. R., Sept.-Oct. 2006 319

- Altoubat, S. A.**—Effect of synthetic fibers on structural behavior of concrete slabs-on-ground (103-M01) Jan.-Feb. 2006 3

- Amick, H.**—Experimental determination of modal damping in concrete beams (103-M17) May-June 2006 153

- Amplitude**—Effect of concrete moisture on radar signal amplitude (103-M46) Shartai, Z. M.; Laurens, S.; Balayssac, J.-P.; Ballivy, G.; and Arliguie, G., Nov.-Dec. 2006 419

Analysis

- Effect of mixture design parameters on segregation of self-consolidating concrete (103-M42) El-Chabib, H., and Nehdi, M., Sept.-Oct. 2006 374
- Experimental determination of modal damping in concrete beams (103-M17) Amick, H., and Monteiro, P. J. M., May-June 2006 153
- Two experimental methods to determine carbonation profiles in concrete (103-M29) Villain, G., and Platret, G., July-Aug. 2006 265

- Analysis of moisture transport in mortars and concrete using sorption-diffusion approach** (103-M24) Neithalath, N., May-June 2006 209

- Application of image analysis to monitor very early age shrinkage** (103-M19) Ong, K. C. G., and Myint-Lay, K., May-June 2006 169

- Arellano, M.**—Rapid-setting CLSM for bridge approach repair: a case study (103-M34) Sept.-Oct. 2006 312

Arıoğlu, E.

- Evaluation of ratio between splitting tensile strength and compressive strength for concretes up to 120 MPa and its application in strength criterion (103-M03) Jan.-Feb. 2006 18

- In-place modulus of elasticity of high-performance concrete bridge (Disc. 102-M52) Sept.-Oct. 2006 397

Arıoğlu, N.

- Evaluation of ratio between splitting tensile strength and compressive strength for concretes up to 120 MPa and its application in strength criterion (103-M03) Jan.-Feb. 2006 18

- In-place modulus of elasticity of high-performance concrete bridge (Disc. 102-M52) Sept.-Oct. 2006 397

- Artigue, G.**—Effect of concrete moisture on radar signal amplitude (103-M46) Nov.-Dec. 2006 419

- Artificial neural networks in prediction of concrete strength reduction due to high temperature** (102-M11)

- Chang, C.-H., and Yang, C.-C., Mar.-Apr. 2005 93

- Disc. by Sullivan, P. J. E., Jan.-Feb. 2006 68

Assaad, J. J.

- Effect of viscosity-enhancing admixtures on formwork pressure and thixotropy of self-consolidating concrete (103-M31) July-Aug. 2006 280

- Effect of *w/cm* and high-range water-reducing admixture on forwork pressure and thixotropy of self-consolidating concrete (103-M21) May-June 2006 186

- Assessing creep and shrinkage losses in post-tensioned concrete masonry** (103-M47) Laursen, P. T.; Wight, G. D.; and Ingham, J. M., Nov.-Dec. 2006 427

- Atkinson, A.**—Measuring and predicting transport in composite cementitious barriers (103-M13) Mar.-Apr. 2006 113

- Auditory display in nondestructive testing of concrete** (103-M32) Valenzuela, M. L.; Sansalone, M. J.; and Krumhansl, C. L., July-Aug. 2006 288

B

- Babu, D. S.**—Air-void system of foamed concrete and its effect on mechanical properties (103-M06) Jan.-Feb. 2006 45

- Balayssac, J.-P.**—Effect of concrete moisture on radar signal amplitude (103-M46) Nov.-Dec. 2006 419

- Ballivy, G.**—Effect of concrete moisture on radar signal amplitude (103-M46) Nov.-Dec. 2006 419

- Banta, T.**—Bearing strength of lightweight concrete (103-M51) Nov.-Dec. 2006 459

- Barbosa, M. T. G.**—Dynamic size effect in normal- and high-strength concrete cylinders (Disc. 102-M09) Jan.-Feb. 2006 67

- Barragán, B.**—Shear failure of steel fiber-reinforced concrete based on push-off tests (103-M27) July-Aug. 2006 251

- Bars**—Corrosion of horizontal bars in concrete and method to delay early corrosion (103-M33) Mohammed, T. U., and Hamada, H., Sept.-Oct. 2006 303

- Baum, H.**—Effect of high levels of fines content on concrete properties (103-M53) Nov.-Dec. 2006 474

- Bearing strength of lightweight concrete** (103-M51) Roberts-Wollmann, C. L.; Banta, T.; Bonetti, R.; and Charney, F., Nov.-Dec. 2006 459

- Bending**—New, simple, practical method to characterize toughness of fiber-reinforced cement-based composites, A (103-M05) El-Ashkar, N. H., and Kurtis, K. E., Jan.-Feb. 2006 33

- Bentz, D. P.**—Curing, hydration, and microstructure of cement paste (103-M39) Sept.-Oct. 2006 348

- Bilir, T.**—Use of granulated blast-furnace slag in concrete as fine aggregate (103-M23) May-June 2006 203

- Binder**—Properties of ternary and quaternary concrete incorporating new alternative cementitious material (103-M09) Laldji, S., and Tagnit-Hamou, A., Mar.-Apr. 2006 83

- Bleeding**—Evaporation of water from concrete surfaces (103-M43) Hover, K. C., Sept.-Oct. 2006 384

Bonetti, R. —Bearing strength of lightweight concrete (103-M51) Nov.-Dec. 2006.....	459
Bonneau, O. —Performance-based specifications of self-consolidating concrete used in structural applications (103-M14) Mar.-Apr. 2006.....	121
Bridge deck	
—Auditory display in nondestructive testing of concrete (103-M32) Valenzuela, M. L.; Sansalone, M. J.; and Krumhansl, C. L., July-Aug. 2006.....	288
—Effect of cracking on chloride content in concrete bridge decks (103-M52) Lindquist, W. D.; Darwin, D.; Browning, J.; and Miller, G. G., Nov.-Dec. 2006.....	467
—Method for determining internal P-wave speed and thickness of concrete plates (103-M36) Hu, M.-T.; Lin, Y.; and Cheng, C.-C., Sept.-Oct. 2006.....	327
Bridges —Field performance of concrete repair systems on highway bridge (103-M41) Cusson, D.; Qian, S.; and Hoogveen, T., Sept.-Oct. 2006.....	366
Browning, J. —Effect of cracking on chloride content in concrete bridge decks (103-M52) Nov.-Dec. 2006.....	467

C

Carbonation

—Effect of type of anodic arrangements on efficiency of electrochemical chloride removal from concrete (103-M26) Climent, M. A.; de Rojas, M. J. S.; de Vera, G.; and Garcés, P., July-Aug. 2006.....	243
—Two experimental methods to determine carbonation profiles in concrete (103-M29) Villain, G., and Platret, G., July-Aug. 2006.....	265
Cementitious material —Properties of ternary and quaternary concrete incorporating new alternative cementitious material (103-M09) Laidji, S., and Tagnit-Hamou, A., Mar.-Apr. 2006.....	83
Chan, D. —Slump and slump flow for characterizing yield stress of fresh concrete (103-M45) Nov.-Dec. 2006.....	413
Charney, F. —Bearing strength of lightweight concrete (103-M51) Nov.-Dec. 2006.....	459

Chen, S. —Influence of concrete material ductility on shear response of stud connections (Disc. 103-M08) Nov.-Dec. 2006.....	485
Cheng, C.-C. —Method for determining internal P-wave speed and thickness of concrete plates (103-M36) Sept.-Oct. 2006.....	327
Chidiac, S. E. —Slump and slump flow for characterizing yield stress of fresh concrete (103-M45) Nov.-Dec. 2006.....	413
Chlorides —Effect of cracking on chloride content in concrete bridge decks (103-M52) Lindquist, W. D.; Darwin, D.; Browning, J.; and Miller, G. G., Nov.-Dec. 2006.....	467

Claisse, P. A. —Measuring and predicting transport in composite cementitious barriers (103-M13) Mar.-Apr. 2006.....	113
Clays —Shrinkage of concrete containing greywacke sandstone aggregate (103-M44) Mackechnie, J. R., Sept.-Oct. 2006.....	390

Climent, M. A. —Effect of type of anodic arrangements on efficiency of electrochemical chloride removal from concrete (103-M26) July-Aug. 2006.....	243
--	-----

CLSM —Rapid-setting CLSM for bridge approach repair: a case study (103-M34) Du, L.; Arellano, M.; Folliard, K. J.; Nazarian, S.; and Trejo, D., Sept.-Oct. 2006.....	312
---	-----

Cold weather —Evaporation of water from concrete surfaces (103-M43) Hover, K. C., Sept.-Oct. 2006.....	384
---	-----

Composites —Influence of concrete material ductility on shear response of stud connections (103-M08) Qian, S., and Li, V. C., Jan.-Feb. 2006.....	60
--	----

Compressive strength

—Air-void system of foamed concrete and its effect on mechanical properties (103-M06) Wee, T.-H.; Babu, D. S.; Tamilselvan, T.; and Lim, H.-S., Jan.-Feb. 2006.....	45
—Development of volcanic ash concrete: strength, durability, and microstructural investigations (103-M02) Hossain, K. M. A., and Lachemi, M., Jan.-Feb. 2006.....	11
—Evaluation of ratio between splitting tensile strength and compressive strength for concretes up to 120 MPa and its application in strength criterion (103-M03) Arıoglu, N.; Girgin, Z. C.; and Arıoglu, E., Jan.-Feb. 2006.....	18
—Reactive powder concrete anchorage for post-tensioning with carbon fiber-reinforced polymer tendons (103-M48) Shaheen, E., and Shrive, N. G., Nov.-Dec. 2006.....	436

Concrete

—Auditory display in nondestructive testing of concrete (103-M32) Valenzuela, M. L.; Sansalone, M. J.; and Krumhansl, C. L., July-Aug. 2006.....	288
--	-----

—Effect of concrete moisture on radar signal amplitude (103-M46) Sbartai, Z. M.; Laurens, S.; Balayssac, J.-P.; Ballivy, G.; and Arliguie, G., Nov.-Dec. 2006.....	419
—Effect of type of anodic arrangements on efficiency of electrochemical chloride removal from concrete (103-M26) Climent, M. A.; de Rojas, M. J. S.; de Vera, G.; and Garcés, P., July-Aug. 2006.....	243
—Evaluation of plastic shrinkage cracking of self-consolidating concrete (103-M30) Turcy, P., and Loukili, A., July-Aug. 2006.....	272
—Method for determining internal P-wave speed and thickness of concrete plates (103-M36) Hu, M.-T.; Lin, Y.; and Cheng, C.-C., Sept.-Oct. 2006.....	327
Concrete masonry —Assessing creep and shrinkage losses in post-tensioned concrete masonry (103-M47) Laursen, P. T.; Wight, G. D.; and Ingham, J. M., Nov.-Dec. 2006.....	427
Concrete mixtures with high microfines (103-M28) Quiroga, P. N.; Ahn, N.; and Fowler, D. W., July-Aug. 2006.....	258
Confinement —Evaluation of ratio between splitting tensile strength and compressive strength for concretes up to 120 MPa and its application in strength criterion (103-M03) Arıoglu, N.; Girgin, Z. C.; and Arıoglu, E., Jan.-Feb. 2006.....	18

Constitutive model for alkali-aggregate reactions (103-M22) Saouma, V., and Perotti, L., May-June 2006.....	194
--	-----

Controlled low-strength materials —Corrosion of metallic materials in controlled low-strength materials—part 4 (103-M07) Halmen, C.; Trejo, D.; Folliard, K. J.; and Du, L., Jan.-Feb. 2006.....	53
---	----

Corrosion

—Corrosion of horizontal bars in concrete and method to delay early corrosion (103-M33) Mohammed, T. U., and Hamada, H., Sept.-Oct. 2006.....	303
---	-----

—Corrosion of metallic materials in controlled low-strength materials—part 4 (103-M07) Halmen, C.; Trejo, D.; Folliard, K. J.; and Du, L., Jan.-Feb. 2006.....	53
--	----

—Corrosion of steel bars in concrete with various steel surface conditions (103-M25) Mohammed, T. U., and Hamada, H., July-Aug. 2006.....	233
---	-----

—Effect of type of anodic arrangements on efficiency of electrochemical chloride removal from concrete (103-M26) Climent, M. A.; de Rojas, M. J. S.; de Vera, G.; and Garcés, P., July-Aug. 2006.....	243
---	-----

—Field performance of concrete repair systems on highway bridge (103-M41) Cusson, D.; Qian, S.; and Hoogveen, T., Sept.-Oct. 2006.....	366
--	-----

—Phenomenological modeling of reinforcement corrosion in marine environments (103-M04) Melchers, R. E., and Li, C. Q., Jan.-Feb. 2006.....	25
--	----

Corrosion of horizontal bars in concrete and method to delay early corrosion (103-M33) Mohammed, T. U., and Hamada, H., Sept.-Oct. 2006.....	303
---	-----

Corrosion of metallic materials in controlled low-strength materials—part 4 (103-M07) Halmen, C.; Trejo, D.; Folliard, K. J.; and Du, L., Jan.-Feb. 2006.....	53
--	----

Corrosion of steel bars in concrete with various steel surface conditions (103-M25) Mohammed, T. U., and Hamada, H., July-Aug. 2006.....	233
---	-----

Coussy, O. —Effect of cryo-suction and air void transition layer on hydraulic pressure of freezing concrete (103-M16) Mar.-Apr. 2006.....	136
--	-----

Crack depths in desiccating plastic concrete (103-M10) Morris, P. H., and Dux, P. F., Mar.-Apr. 2006.....	90
--	----

Cracking

—Crack depths in desiccating plastic concrete (103-M10) Morris, P. H., and Dux, P. F., Mar.-Apr. 2006.....	90
--	----

—Effect of cracking on chloride content in concrete bridge decks (103-M52) Lindquist, W. D.; Darwin, D.; Browning, J.; and Miller, G. G., Nov.-Dec. 2006.....	467
---	-----

—Effect of cryo-suction and air void transition layer on hydraulic pressure of freezing concrete (103-M16) Monteiro, P. J. M.; Coussy, O.; and Silva, D. A., Mar.-Apr. 2006.....	136
--	-----

Creep —Assessing creep and shrinkage losses in post-tensioned concrete masonry (103-M47) Laursen, P. T.; Wight, G. D.; and Ingham, J. M., Nov.-Dec. 2006.....	427
--	-----

Curing

—Curing, hydration, and microstructure of cement paste (103-M39) Bentz, D. P., and Stutzman, P. E., Sept.-Oct. 2006.....	348
--	-----

—Evaporation of water from concrete surfaces (103-M43) Hover, K. C., Sept.-Oct. 2006.....	384
---	-----

—Optimization of mechanical properties and durability of reactive powder concrete (103-M49) Shaheen, E., and Shrive, N. G., Nov.-Dec. 2006.....	444
---	-----

—Reactive powder concrete anchorage for post-tensioning with carbon fiber-reinforced polymer tendons (103-M48) Shaheen, E., and Shrive, N. G., Nov.-Dec. 2006.....	436
--	-----

N. G., Nov.-Dec. 2006.	436
Curing, hydration, and microstructure of cement paste (103-M39)	
Bentz, D. P., and Stutzman, P. E., Sept.-Oct. 2006.	348
Cusson, D.—Field performance of concrete repair systems on highway bridge (103-M41) Sept.-Oct. 2006.	366
Cylinder—Bearing strength of lightweight concrete (103-M51) Roberts-Wollmann, C. L.; Banta, T.; Bonetti, R.; and Charney, F., Nov.-Dec. 2006.	459

D

Dams—Constitutive model for alkali-aggregate reactions (103-M22)	
Saouma, V., and Perotti, L., May-June 2006.	194
Darwin, D.—Effect of cracking on chloride content in concrete bridge decks (103-M52) Nov.-Dec. 2006.	467
Day, K. W.	
—Evaluation of ratio between splitting tensile strength and compressive strength for concretes up to 120 MPa and its application in strength criterion (Disc. 103-M03) Nov.-Dec. 2006.	483
—Three-day prediction of concrete compressive strength evolution (Disc. 102-M25) May-June 2006.	218
Deformation	
—Effect of fly ash on deformation of roller-compacted concrete (103-M37) Gao, P.-W.; Wu, S.-X.; Lin, P.-H.; Wu, Z.-R.; and Tang, M.-S., Sept.-Oct. 2006.	336
—Experimental determination of modal damping in concrete beams (103-M17) Amick, H., and Monteiro, P. J. M., May-June 2006.	153
de Rojas, M. J. S.—Effect of type of anodic arrangements on efficiency of electrochemical chloride removal from concrete (103-M26) July-Aug. 2006.	243
Detection—Ultrasonic frequency-dependent amplitude attenuation characteristics technique for nondestructive evaluation of concrete (103-M20) Ju, J. W.; Weng, L.-S.; and Liu, Y., May-June 2006.	177
Deterioration—Two experimental methods to determine carbonation profiles in concrete (103-M29) Villain, G., and Platret, G., July-Aug. 2006.	265
Development of volcanic ash concrete: strength, durability, and microstructural investigations (103-M02) Hossain, K. M. A., and Lachemi, M., Jan.-Feb. 2006.	11
de Vera, G.—Effect of type of anodic arrangements on efficiency of electrochemical chloride removal from concrete (103-M26) July-Aug. 2006.	243
Diffusion	
—Analysis of moisture transport in mortars and concrete using sorption-diffusion approach (103-M24) Neithalath, N., May-June 2006.	209
—Measuring and predicting transport in composite cementitious barriers (103-M13) Claisse, P. A.; Ganjian, E.; Atkinson, A.; and Tyrer, M., Mar.-Apr. 2006.	113
Drying shrinkage—Development of volcanic ash concrete: strength, durability, and microstructural investigations (103-M02) Hossain, K. M. A., and Lachemi, M., Jan.-Feb. 2006.	11
Du, L.	
—Corrosion of metallic materials in controlled low-strength materials—part 4 (103-M07) Jan.-Feb. 2006.	53
—Rapid-setting CLSM for bridge approach repair: a case study (103-M34) Sept.-Oct. 2006.	312
Ductility—Influence of concrete material ductility on shear response of stud connections (103-M08) Qian, S., and Li, V. C., Jan.-Feb. 2006.	60
Durability	
—Analysis of moisture transport in mortars and concrete using sorption-diffusion approach (103-M24) Neithalath, N., May-June 2006.	209
—Efficiency of fly ash in mitigating alkali-silica reaction based on chemical composition (103-M35) Malvar, L. J., and Lenke, L. R., Sept.-Oct. 2006.	319
—Field performance of concrete repair systems on highway bridge (103-M41) Cusson, D.; Qian, S.; and Hoogeven, T., Sept.-Oct. 2006.	366
—Optimization of mechanical properties and durability of reactive powder concrete (103-M49) Shaheen, E., and Shrive, N. G., Nov.-Dec. 2006.	444
—Use of granulated blast-furnace slag in concrete as fine aggregate (103-M23) Yüksel, I.; Özkan, Ö.; and Bilir, T., May-June 2006.	203
Dux, P. F.—Crack depths in desiccating plastic concrete (103-M10) Mar.-Apr. 2006.	90
Dynamic size effect in normal- and high-strength concrete cylinders (102-M09)	
—Elfahal, M. M., and Krauthammer, T., Mar.-Apr. 2005.	77
—Disc. by Barbosa, M. T. G., and Filho, E. S. S., Jan.-Feb. 2006.	67

E

Early age—Application of image analysis to monitor very early age shrinkage (103-M19) Ong, K. C. G., and Myint-Lay, K., May-June 2006.	169
Early age concrete—Crack depths in desiccating plastic concrete (103-M10) Morris, P. H., and Dux, P. F., Mar.-Apr. 2006.	90
Effect of concrete moisture on radar signal amplitude (103-M46)	
Sbartai, Z. M.; Laurens, S.; Balayssac, J.-P.; Ballivy, G.; and Arliguie, G., Nov.-Dec. 2006.	419
Effect of cracking on chloride content in concrete bridge decks (103-M52) Lindquist, W. D.; Darwin, D.; Browning, J.; and Miller, G. G., Nov.-Dec. 2006.	467
Effect of cryo-suction and air void transition layer on hydraulic pressure of freezing concrete (103-M16) Monteiro, P. J. M.; Coussy, O.; and Silva, D. A., Mar.-Apr. 2006.	136
Effect of fly ash on deformation of roller-compacted concrete (103-M37) Gao, P.-W.; Wu, S.-X.; Lin, P.-H.; Wu, Z.-R.; and Tang, M.-S., Sept.-Oct. 2006.	336
Effect of high levels of fines content on concrete properties (103-M53) Katz, A., and Baum, H., Nov.-Dec. 2006.	474
Effect of mixture design parameters on segregation of self-consolidating concrete (103-M42) El-Chabib, H., and Nehdi, M., Sept.-Oct. 2006.	374
Effect of synthetic fibers on structural behavior of concrete slabs-on-ground (103-M01) Roesler, J. R.; Altoubat, S. A.; Lange, D. A.; Rieder, K.-A.; and Ulreich, G. R., Jan.-Feb. 2006.	3
Effect of type of anodic arrangements on efficiency of electrochemical chloride removal from concrete (103-M26) Climent, M. A.; de Rojas, M. J. S.; de Vera, G.; and Garcés, P., July-Aug. 2006.	243
Effect of viscosity-enhancing admixtures on formwork pressure and thixotropy of self-consolidating concrete (103-M31) Assaad, J. J., and Khayat, K. H., July-Aug. 2006.	280
Effect of w/cm and high-range water-reducing admixture on formwork pressure and thixotropy of self-consolidating concrete (103-M21) Khayat, K. H., and Assaad, J. J., May-June 2006.	186
Efficiency of fly ash in mitigating alkali-silica reaction based on chemical composition (103-M35) Malvar, L. J., and Lenke, L. R., Sept.-Oct. 2006.	319
El-Ashkar, N. H.—New, simple, practical method to characterize toughness of fiber-reinforced cement-based composites, A (103-M05) Jan.-Feb. 2006.	33
Elasticity—Crack depths in desiccating plastic concrete (103-M10) Morris, P. H., and Dux, P. F., Mar.-Apr. 2006.	90
El-Chabib, H.—Effect of mixture design parameters on segregation of self-consolidating concrete (103-M42) Sept.-Oct. 2006.	374
Engineering properties of alkali-activated fly ash concrete (103-M12) Fernández-Jiménez, A. M.; Palomo, A.; and López-Hombrados, C., Mar.-Apr. 2006.	106
Evaluation of plastic shrinkage cracking of self-consolidating concrete (103-M30) Turcry, P., and Loukili, A., July-Aug. 2006.	272
Evaluation of ratio between splitting tensile strength and compressive strength for concretes up to 120 MPa and its application in strength criterion (103-M03)	
—Arıoglu, N.; Girgin, Z. C.; and Arıoglu, E., Jan.-Feb. 2006.	18
—Disc. by Day, K. W., Nov.-Dec. 2006.	483
—Disc. by Yüzer, N., Nov.-Dec. 2006.	483
Evaluation of temperature prediction methods for mass concrete members (103-M40) Riding, K. A.; Poole, J. L.; Schindler, A. K.; Juenger, M. C. G.; and Folliard, K. J., Sept.-Oct. 2006.	357
Evaporable water—Application of image analysis to monitor very early age shrinkage (103-M19) Ong, K. C. G., and Myint-Lay, K., May-June 2006.	169
Evaporation—Evaporation of water from concrete surfaces (103-M43) Hover, K. C., Sept.-Oct. 2006.	384
Evaporation of water from concrete surfaces (103-M43) Hover, K. C., Sept.-Oct. 2006.	384
Expansion—Effect of fly ash on deformation of roller-compacted concrete (103-M37) Gao, P.-W.; Wu, S.-X.; Lin, P.-H.; Wu, Z.-R.; and Tang, M.-S., Sept.-Oct. 2006.	336
Experimental determination of modal damping in concrete beams (103-M17) Amick, H., and Monteiro, P. J. M., May-June 2006.	153

F

Failure

—Influence of concrete material ductility on shear response of stud	
---	--

connections (103-M08) Qian, S., and Li, V. C., Jan.-Feb. 2006.	60
—Rapid-setting CLSM for bridge approach repair: a case study (103-M34) Du, L.; Arellano, M.; Folliard, K. J.; Nazarian, S.; and Trejo, D., Sept.-Oct. 2006.	312
Fernández-Jiménez, A. M. —Engineering properties of alkali-activated fly ash concrete (103-M12) Mar.-Apr. 2006.	106
Fiber-reinforced cementitious materials —Monitoring fiber dispersion in fiber-reinforced cementitious materials: comparison of AC-impedance spectroscopy and image analysis (103-M38) Ozyurt, N.; Woo, L. Y.; Mason, T. O.; and Shah, S. P., Sept.-Oct. 2006.	340
Fiber-reinforced concrete	
—Reactive powder concrete anchorage for post-tensioning with carbon fiber-reinforced polymer tendons (103-M48) Shaheen, E., and Shrive, N. G., Nov.-Dec. 2006.	436
—Shear failure of steel fiber-reinforced concrete based on push-off tests (103-M27) Barragán, B.; Gettu, R.; Agulló, L.; and Zerbino, R., July-Aug. 2006.	251
Fibers	
—Effect of synthetic fibers on structural behavior of concrete slabs-on-ground (103-M01) Roesler, J. R.; Altoubat, S. A.; Lange, D. A.; Rieder, K. A.; and Ulreich, G. R., Jan.-Feb. 2006.	3
—High-early-strength engineered cementitious composites (103-M11) Wang, S., and Li, V. C., Mar.-Apr. 2006.	97
—Monitoring fiber dispersion in fiber-reinforced cementitious materials: comparison of AC-impedance spectroscopy and image analysis (103-M38) Ozyurt, N.; Woo, L. Y.; Mason, T. O.; and Shah, S. P., Sept.-Oct. 2006.	340
—New, simple, practical method to characterize toughness of fiber-reinforced cement-based composites, A (103-M05) El-Ashkar, N. H., and Kurtis, K. E., Jan.-Feb. 2006.	33
—Optimization of mechanical properties and durability of reactive powder concrete (103-M49) Shaheen, E., and Shrive, N. G., Nov.-Dec. 2006.	444
Field performance of concrete repair systems on highway bridge (103-M41) Cusson, D.; Qian, S.; and Hooeveen, T., Sept.-Oct. 2006.	366
Filho, E. S. S. —Dynamic size effect in normal- and high-strength concrete cylinders (Disc. 102-M09) Jan.-Feb. 2006.	67
Fire resistance —Self-consolidating concrete in fire (103-M15) Reinhardt, H. W., and Stegmaier, M., Mar.-Apr. 2006.	130
Flexure —New, simple, practical method to characterize toughness of fiber-reinforced cement-based composites, A (103-M05) El-Ashkar, N. H., and Kurtis, K. E., Jan.-Feb. 2006.	33
Flow —Slump and slump flow for characterizing yield stress of fresh concrete (103-M45) Chidiac, S. E.; Habibbeigi, F.; and Chan, D., Nov.-Dec. 2006.	413
Flowable —Effect of mixture design parameters on segregation of self-consolidating concrete (103-M42) El-Chabib, H., and Nehdi, M., Sept.-Oct. 2006.	374
Fly ash	
—Effect of fly ash on deformation of roller-compacted concrete (103-M37) Gao, P.-W.; Wu, S.-X.; Lin, P.-H.; Wu, Z.-R.; and Tang, M.-S., Sept.-Oct. 2006.	336
—Efficiency of fly ash in mitigating alkali-silica reaction based on chemical composition (103-M35) Malvar, L. J., and Lenke, L. R., Sept.-Oct. 2006.	319
—Engineering properties of alkali-activated fly ash concrete (103-M12) Fernández-Jiménez, A. M.; Palomo, A.; and López-Hombrados, C., Mar.-Apr. 2006.	106
—Rapid-setting CLSM for bridge approach repair: a case study (103-M34) Du, L.; Arellano, M.; Folliard, K. J.; Nazarian, S.; and Trejo, D., Sept.-Oct. 2006.	312
—Use of fuzzy neural network to evaluate effect of composition of fly ash in suppressing AAR (103-M18) Ming-yu, H., and Ming-shu, T., May-June 2006.	161
Folliard, K. J.	
—Corrosion of metallic materials in controlled low-strength materials—part 4 (103-M07) Jan.-Feb. 2006.	53
—Evaluation of temperature prediction methods for mass concrete members (103-M40) Sept.-Oct. 2006.	357
—Rapid-setting CLSM for bridge approach repair: a case study (103-M34) Sept.-Oct. 2006.	312
Formwork —Effect of viscosity-enhancing admixtures on formwork pressure and thixotropy of self-consolidating concrete (103-M31) Assaad, J. J., and Khayat, K. H., July-Aug. 2006.	280
Fowler, D. W. —Concrete mixtures with high microfines (103-M28) July-Aug. 2006.	258
Fracture —Optimization of mechanical properties and durability of	

reactive powder concrete (103-M49) Shaheen, E., and Shrive, N. G., Nov.-Dec. 2006.	444
Freeman, R. M. —Vertical porosity distributions in pervious concrete pavement (103-M50) Nov.-Dec. 2006.	452
Fresh concrete —Slump and slump flow for characterizing yield stress of fresh concrete (103-M45) Chidiac, S. E.; Habibbeigi, F.; and Chan, D., Nov.-Dec. 2006.	413

G

Ganjan, E. —Measuring and predicting transport in composite cementitious barriers (103-M13) Mar.-Apr. 2006.	113
Gao, P.-W. —Effect of fly ash on deformation of roller-compacted concrete (103-M37) Sept.-Oct. 2006.	336
Garcés, P. —Effect of type of anodic arrangements on efficiency of electrochemical chloride removal from concrete (103-M26) July-Aug. 2006.	243
Gettu, R. —Shear failure of steel fiber-reinforced concrete based on push-off tests (103-M27) July-Aug. 2006.	251
Girgin, Z. C. —Evaluation of ratio between splitting tensile strength and compressive strength for concretes up to 120 MPa and its application in strength criterion (103-M03) Jan.-Feb. 2006.	18
Grading —Concrete mixtures with high microfines (103-M28) Quiroga, P. N.; Ahn, N.; and Fowler, D. W., July-Aug. 2006.	258
Greywacke —Shrinkage of concrete containing greywacke sandstone aggregate (103-M44) Mackechnie, J. R., Sept.-Oct. 2006.	390

H

Habibbeigi, F. —Slump and slump flow for characterizing yield stress of fresh concrete (103-M45) Nov.-Dec. 2006.	413
Halmén, C. —Corrosion of metallic materials in controlled low-strength materials—part 4 (103-M07) Jan.-Feb. 2006.	53
Hamada, H.	
—Corrosion of horizontal bars in concrete and method to delay early corrosion (103-M33) Sept.-Oct. 2006.	303
—Corrosion of steel bars in concrete with various steel surface conditions (103-M25) July-Aug. 2006.	233
Hardened concrete —Effect of high levels of fines content on concrete properties (103-M53) Katz, A., and Baum, H., Nov.-Dec. 2006.	474
Haselbach, L. M. —Vertical porosity distributions in pervious concrete pavement (103-M50) Nov.-Dec. 2006.	452
Heat —Evaluation of temperature prediction methods for mass concrete members (103-M40) Riding, K. A.; Poole, J. L.; Schindler, A. K.; Juenger, M. C. G.; and Folliard, K. J., Sept.-Oct. 2006.	357
High early strength —High-early-strength engineered cementitious composites (103-M11) Wang, S., and Li, V. C., Mar.-Apr. 2006.	97
High-early-strength engineered cementitious composites (103-M11) Wang, S., and Li, V. C., Mar.-Apr. 2006.	97
High-range water-reducing admixture —Effect of viscosity-enhancing admixtures on formwork pressure and thixotropy of self-consolidating concrete (103-M31) Assaad, J. J., and Khayat, K. H., July-Aug. 2006.	280
High-strength concrete —Evaluation of ratio between splitting tensile strength and compressive strength for concretes up to 120 MPa and its application in strength criterion (103-M03) Arıoglu, N.; Girgin, Z. C.; and Arıoglu, E., Jan.-Feb. 2006.	18
Hime, W. G.	
—Sulfate attack of mortars containing recycled fine aggregates (Disc. 102-M24) May-June 2006.	218
—Influence of cation on corrosion behavior of reinforcing steel in high-pH sulfate solutions (Disc. 102-M32) May-June 2006.	220
Hooeveen, T. —Field performance of concrete repair systems on highway bridge (103-M41) Sept.-Oct. 2006.	366
Hossain, K. M. A. —Development of volcanic ash concrete: strength, durability, and microstructural investigations (103-M02) Jan.-Feb. 2006.	11
Hot weather —Evaporation of water from concrete surfaces (103-M43) Hover, K. C., Sept.-Oct. 2006.	384
Hover, K. C. —Evaporation of water from concrete surfaces (103-M43) Sept.-Oct. 2006.	384
Hu, M.-T. —Method for determining internal P-wave speed and thickness of concrete plates (103-M36) Sept.-Oct. 2006.	327
Hwang, S.-D. —Performance-based specifications of self-consolidating concrete used in structural applications (103-M14) Mar.-Apr. 2006.	121

Hydration

- Curing, hydration, and microstructure of cement paste (103-M39) Bentz, D. P., and Stutzman, P. E., Sept.-Oct. 2006. 348
- Optimization of mechanical properties and durability of reactive powder concrete (103-M49) Shaheen, E., and Shrive, N. G., Nov.-Dec. 2006. 444

I

- Influence of cation on corrosion behavior of reinforcing steel in high-pH sulfate solutions** (102-M32)
 - Mammoliti, L., and Hansson, C. M., July-Aug. 2005. 279
 - Disc. by Hime, W. G., May-June 2006. 220
- Influence of concrete material ductility on shear response of stud connections** (103-M08)
 - Qian, S., and Li, V. C., Jan.-Feb. 2006. 60
 - Disc. by Chen, S., Nov.-Dec. 2006. 485
- Ingham, J. M.**—Assessing creep and shrinkage losses in post-tensioned concrete masonry (103-M47) Nov.-Dec. 2006. 427
- In-place modulus of elasticity of high-performance concrete bridge** (102-M52)
 - Hughes, E. A.; Liang, Z.; Idriss, R. L.; and Newton, C. M., Nov.-Dec. 2006. 454
 - Disc. by Yilmaz, A. O.; Arioglu, N.; and Arioglu, E., Sept.-Oct. 2006. 397

J

- Ju, J. W.**—Ultrasonic frequency-dependent amplitude attenuation characteristics technique for nondestructive evaluation of concrete (103-M20) May-June 2006. 177
- Juenger, M. C. G.**—Evaluation of temperature prediction methods for mass concrete members (103-M40) Sept.-Oct. 2006. 357

K

- Katz, A.**—Effect of high levels of fines content on concrete properties (103-M53) Nov.-Dec. 2006. 474
- Khayat, K. H.**
 - Effect of viscosity-enhancing admixtures on formwork pressure and thixotropy of self-consolidating concrete (103-M31) July-Aug. 2006. 280
 - Effect of w/cm and high-range water-reducing admixture on formwork pressure and thixotropy of self-consolidating concrete (103-M21) May-June 2006. 186
 - Performance-based specifications of self-consolidating concrete used in structural applications (103-M14) Mar.-Apr. 2006. 121
- Krumhansl, C. L.**—Auditory display in nondestructive testing of concrete (103-M32) July-Aug. 2006. 288
- Kurtis, K. E.**—New, simple, practical method to characterize toughness of fiber-reinforced cement-based composites, A (103-M05) Jan.-Feb. 2006. 33

L

- Lachemi, M.**—Development of volcanic ash concrete: strength, durability, and microstructural investigations (103-M02) Jan.-Feb. 2006. 11
- Laldji, S.**—Properties of ternary and quaternary concrete incorporating new alternative cementitious material (103-M09) Mar.-Apr. 2006. 83
- Lange, D. A.**—Effect of synthetic fibers on structural behavior of concrete slabs-on-ground (103-M01) Jan.-Feb. 2006. 3
- Laurens, S.**—Effect of concrete moisture on radar signal amplitude (103-M46) Nov.-Dec. 2006. 419
- Laursen, P. T.**—Assessing creep and shrinkage losses in post-tensioned concrete masonry (103-M47) Nov.-Dec. 2006. 427
- Lenke, L. R.**—Efficiency of fly ash in mitigating alkali-silica reaction based on chemical composition (103-M35) Sept.-Oct. 2006. 319
- Li, C. Q.**—Phenomenological modeling of reinforcement corrosion in marine environments (103-M04) Jan.-Feb. 2006. 25
- Li, V. C.**
 - High-early-strength engineered cementitious composites (103-M11) Mar.-Apr. 2006. 97
 - Influence of concrete material ductility on shear response of stud connections (103-M08) Jan.-Feb. 2006. 60
- Lightweight concrete**—Bearing strength of lightweight concrete

- (103-M51) Roberts-Wollmann, C. L.; Banta, T.; Bonetti, R.; and Charney, F., Nov.-Dec. 2006. 459
- Lim, H.-S.**—Air-void system of foamed concrete and its effect on mechanical properties (103-M06) Jan.-Feb. 2006. 45
- Lin, P.-H.**—Effect of fly ash on deformation of roller-compacted concrete (103-M37) Sept.-Oct. 2006. 336
- Lin, Y.**—Method for determining internal P-wave speed and thickness of concrete plates (103-M36) Sept.-Oct. 2006. 327
- Lindquist, W. D.**—Effect of cracking on chloride content in concrete bridge decks (103-M52) Nov.-Dec. 2006. 467
- Liu, Y.**—Ultrasonic frequency-dependent amplitude attenuation characteristics technique for nondestructive evaluation of concrete (103-M20) May-June 2006. 177
- Loading**—Phenomenological modeling of reinforcement corrosion in marine environments (103-M04) Melchers, R. E., and Li, C. Q., Jan.-Feb. 2006. 25
- López-Hombrados, C.**—Engineering properties of alkali-activated fly ash concrete (103-M12) Mar.-Apr. 2006. 106
- Loukili, A.**—Evaluation of plastic shrinkage cracking of self-consolidating concrete (103-M30) July-Aug. 2006. 272

M

- Mackechnie, J. R.**—Shrinkage of concrete containing greywacke sandstone aggregate (103-M44) Sept.-Oct. 2006. 390
- Malvar, L. J.**—Efficiency of fly ash in mitigating alkali-silica reaction based on chemical composition (103-M35) Sept.-Oct. 2006. 319
- Mason, T. O.**—Monitoring fiber dispersion in fiber-reinforced cementitious materials: comparison of AC-impedance spectroscopy and image analysis (103-M38) Sept.-Oct. 2006. 340
- Masonry structures**—Auditory display in nondestructive testing of concrete (103-M32) Valenzuela, M. L.; Sansalone, M. J.; and Krumhansl, C. L., July-Aug. 2006. 288
- Mass concrete**—Evaluation of temperature prediction methods for mass concrete members (103-M40) Riding, K. A.; Poole, J. L.; Schindler, A. K.; Juenger, M. C. G.; and Folliard, K. J., Sept.-Oct. 2006. 357
- Measuring and predicting transport in composite cementitious barriers** (103-M13) Claisse, P. A.; Ganjian, E.; Atkinson, A.; and Tyrer, M., Mar.-Apr. 2006. 113
- Melchers, R. E.**—Phenomenological modeling of reinforcement corrosion in marine environments (103-M04) Jan.-Feb. 2006. 25
- Method for determining internal P-wave speed and thickness of concrete plates** (103-M36) Hu, M.-T.; Lin, Y.; and Cheng, C.-C., Sept.-Oct. 2006. 327
- Microstructure**—Curing, hydration, and microstructure of cement paste (103-M39) Bentz, D. P., and Stutzman, P. E., Sept.-Oct. 2006. 348
- Mill scale**—Corrosion of steel bars in concrete with various steel surface conditions (103-M25) Mohammed, T. U., and Hamada, H., July-Aug. 2006. 233
- Miller, G. G.**—Effect of cracking on chloride content in concrete bridge decks (103-M52) Nov.-Dec. 2006. 467
- Ming-shu, T.**—Use of fuzzy neural network to evaluate effect of composition of fly ash in suppressing AAR (103-M18) May-June 2006. 161
- Ming-yu, H.**—Use of fuzzy neural network to evaluate effect of composition of fly ash in suppressing AAR (103-M18) May-June 2006. 161
- Mixtures**—Rapid-setting CLSM for bridge approach repair: a case study (103-M34) Du, L.; Arellano, M.; Folliard, K. J.; Nazarian, S.; and Trejo, D., Sept.-Oct. 2006. 312
- Model**—Constitutive model for alkali-aggregate reactions (103-M22) Saouma, V., and Perotti, L., May-June 2006. 194
- Modulus of elasticity**—Air-void system of foamed concrete and its effect on mechanical properties (103-M06) Wee, T.-H.; Babu, D. S.; Tamilselvan, T.; and Lim, H.-S., Jan.-Feb. 2006. 45
- Mohammed, T. U.**
 - Corrosion of horizontal bars in concrete and method to delay early corrosion (103-M33) Sept.-Oct. 2006. 303
 - Corrosion of steel bars in concrete with various steel surface conditions (103-M25) July-Aug. 2006. 233
- Moisture**—Analysis of moisture transport in mortars and concrete using sorption-diffusion approach (103-M24) Neithalath, N., May-June 2006. 209
- Monitoring fiber dispersion in fiber-reinforced cementitious materials: comparison of AC-impedance spectroscopy and image analysis** (103-M38) Ozyurt, N.; Woo, L. Y.; Mason, T. O.; and Shah, S. P., Sept.-Oct. 2006. 340

Monteiro, P. J. M.

- Effect of cryo-suction and air void transition layer on hydraulic pressure of freezing concrete (103-M16) Mar.-Apr. 2006 136
- Experimental determination of modal damping in concrete beams (103-M17) May-June 2006 153
- Morris, P. H.**—Crack depths in desiccating plastic concrete (103-M10) Mar.-Apr. 2006 90
- Myint-Lay, K.**—Application of image analysis to monitor very early age shrinkage (103-M19) May-June 2006 169

N

- Nazarian, S.**—Rapid-setting CLSM for bridge approach repair: a case study (103-M34) Sept.-Oct. 2006 312
- Nehdi, M.**—Effect of mixture design parameters on segregation of self-consolidating concrete (103-M42) Sept.-Oct. 2006 374
- Neithalath, N.**—Analysis of moisture transport in mortars and concrete using sorption-diffusion approach (103-M24) May-June 2006 209
- New, simple, practical method to characterize toughness of fiber-reinforced cement-based composites, A** (103-M05) El-Ashkar, N. H., and Kurtis, K. E., Jan.-Feb. 2006 33
- Nondestructive evaluation**—Ultrasonic frequency-dependent amplitude attenuation characteristics technique for nondestructive evaluation of concrete (103-M20) Ju, J. W.; Weng, L.-S.; and Liu, Y., May-June 2006 177

O

- Ong, K. C. G.**—Application of image analysis to monitor very early age shrinkage (103-M19) May-June 2006 169
- Optimization of mechanical properties and durability of reactive powder concrete** (103-M49) Shaheen, E., and Shrive, N. G., Nov.-Dec. 2006 444
- Overlay**—Effect of cracking on chloride content in concrete bridge decks (103-M52) Lindquist, W. D.; Darwin, D.; Browning, J.; and Miller, G. G., Nov.-Dec. 2006 467
- Özkan, Ö.**—Use of granulated blast-furnace slag in concrete as fine aggregate (103-M23) May-June 2006 203
- Ozyurt, N.**—Monitoring fiber dispersion in fiber-reinforced cementitious materials: comparison of AC-impedance spectroscopy and image analysis (103-M38) Sept.-Oct. 2006 340

P

- Palomo, A.**—Engineering properties of alkali-activated fly ash concrete (103-M12) Mar.-Apr. 2006 106
- Performance-based specifications of self-consolidating concrete used in structural applications** (103-M14) Hwang, S.-D.; Khayat, K. H.; and Bonneau, O., Mar.-Apr. 2006 121
- Permeability**—Effect of cracking on chloride content in concrete bridge decks (103-M52) Lindquist, W. D.; Darwin, D.; Browning, J.; and Miller, G. G., Nov.-Dec. 2006 467
- Measuring and predicting transport in composite cementitious barriers (103-M13) Claisse, P. A.; Ganjian, E.; Atkinson, A.; and Tyrer, M., Mar.-Apr. 2006 113
- Perotti, L.**—Constitutive model for alkali-aggregate reactions (103-M22) May-June 2006 194
- Pervious**—Vertical porosity distributions in pervious concrete pavement (103-M50) Haselbach, L. M., and Freeman, R. M., Nov.-Dec. 2006 452
- Phenomenological modeling of reinforcement corrosion in marine environments** (103-M04) Melchers, R. E., and Li, C. Q., Jan.-Feb. 2006 25
- Plastic shrinkage**—Evaluation of plastic shrinkage cracking of self-consolidating concrete (103-M30) Turcy, P., and Loukili, A., July-Aug. 2006 272
- Evaporation of water from concrete surfaces (103-M43) Hover, K. C., Sept.-Oct. 2006 384
- Plates**—Method for determining internal P-wave speed and thickness of concrete plates (103-M36) Hu, M.-T.; Lin, Y.; and Cheng, C.-C., Sept.-Oct. 2006 327
- Platret, G.**—Two experimental methods to determine carbonation profiles in concrete (103-M29) July-Aug. 2006 265
- Polymer**—Reactive powder concrete anchorage for post-tensioning with carbon fiber-reinforced polymer tendons (103-M48) Shaheen, E., and

- Shrive, N. G., Nov.-Dec. 2006 436
- Poole, J. L.**—Evaluation of temperature prediction methods for mass concrete members (103-M40) Sept.-Oct. 2006 357

Porosity

- Curing, hydration, and microstructure of cement paste (103-M39) Bentz, D. P., and Stutzman, P. E., Sept.-Oct. 2006 348
- Development of volcanic ash concrete: strength, durability, and microstructural investigations (103-M02) Hossain, K. M. A., and Lachemi, M., Jan.-Feb. 2006 11
- Optimization of mechanical properties and durability of reactive powder concrete (103-M49) Shaheen, E., and Shrive, N. G., Nov.-Dec. 2006 444
- Vertical porosity distributions in pervious concrete pavement (103-M50) Haselbach, L. M., and Freeman, R. M., Nov.-Dec. 2006 452
- Portland cement**—Corrosion of metallic materials in controlled low-strength materials—part 4 (103-M07) Halmen, C.; Trejo, D.; Folliard, K. J.; and Du, L., Jan.-Feb. 2006 53
- Post-tensioned**—Assessing creep and shrinkage losses in post-tensioned concrete masonry (103-M47) Laursen, P. T.; Wight, G. D.; and Ingham, J. M., Nov.-Dec. 2006 427
- Pozzolanic**—Properties of ternary and quaternary concrete incorporating new alternative cementitious material (103-M09) Laldji, S., and Tagnit-Hamou, A., Mar.-Apr. 2006 83
- Prestress**—Assessing creep and shrinkage losses in post-tensioned concrete masonry (103-M47) Laursen, P. T.; Wight, G. D.; and Ingham, J. M., Nov.-Dec. 2006 427
- Prestressed concrete**—Reactive powder concrete anchorage for post-tensioning with carbon fiber-reinforced polymer tendons (103-M48) Shaheen, E., and Shrive, N. G., Nov.-Dec. 2006 436
- Properties of ternary and quaternary concrete incorporating new alternative cementitious material** (103-M09) Laldji, S., and Tagnit-Hamou, A., Mar.-Apr. 2006 83

Q

- Qian, S.**—Field performance of concrete repair systems on highway bridge (103-M41) Sept.-Oct. 2006 366
- Influence of concrete material ductility on shear response of stud connections (103-M08) Jan.-Feb. 2006 60
- Quiroga, P. N.**—Concrete mixtures with high microfines (103-M28) July-Aug. 2006 258

R

- Rapid-setting CLSM for bridge approach repair: a case study** (103-M34) Du, L.; Arellano, M.; Folliard, K. J.; Nazarian, S.; and Trejo, D., Sept.-Oct. 2006 312
- Reactive powder concrete anchorage for post-tensioning with carbon fiber-reinforced polymer tendons** (103-M48) Shaheen, E., and Shrive, N. G., Nov.-Dec. 2006 436
- Reinforcement**—Phenomenological modeling of reinforcement corrosion in marine environments (103-M04) Melchers, R. E., and Li, C. Q., Jan.-Feb. 2006 25
- Reinhardt, H. W.**—Self-consolidating concrete in fire (103-M15) Mar.-Apr. 2006 130
- Repair**—Field performance of concrete repair systems on highway bridge (103-M41) Cussion, D.; Qian, S.; and Hoogveen, T., Sept.-Oct. 2006 366
- Rheology**—Performance-based specifications of self-consolidating concrete used in structural applications (103-M14) Hwang, S.-D.; Khayat, K. H.; and Bonneau, O., Mar.-Apr. 2006 121
- Slump and slump flow for characterizing yield stress of fresh concrete (103-M45) Chidiac, S. E.; Habibbeigi, F.; and Chan, D., Nov.-Dec. 2006 413
- Riding, K. A.**—Evaluation of temperature prediction methods for mass concrete members (103-M40) Sept.-Oct. 2006 357
- Rieder, K. A.**—Effect of synthetic fibers on structural behavior of concrete slabs-on-ground (103-M01) Jan.-Feb. 2006 3
- Roberts-Wollmann, C. L.**—Bearing strength of lightweight concrete (103-M51) Nov.-Dec. 2006 459
- Roesler, J. R.**—Effect of synthetic fibers on structural behavior of concrete slabs-on-ground (103-M01) Jan.-Feb. 2006 3
- Roller-compacted concrete**—Effect of fly ash on deformation of roller-compacted concrete (103-M37) Gao, P.-W.; Wu, S.-X.; Lin, P.-H.; Wu, Z.-R.; and Tang, M.-S., Sept.-Oct. 2006 336

- Sand**—Concrete mixtures with high microfines (103-M28) Quiroga, P. N.; Ahn, N.; and Fowler, D. W., July-Aug. 2006. 258
- Sandstone**—Shrinkage of concrete containing greywacke sandstone aggregate (103-M44) Mackechnie, J. R., Sept.-Oct. 2006. 390
- Sansalone, M. J.**—Auditory display in nondestructive testing of concrete (103-M32) July-Aug. 2006. 288
- Saouma, V.**—Constitutive model for alkali-aggregate reactions (103-M22) May-June 2006. 194
- Saturation**
—Analysis of moisture transport in mortars and concrete using sorption-diffusion approach (103-M24) Neithalath, N., May-June 2006. 209
—Effect of concrete moisture on radar signal amplitude (103-M46) Sbartaï, Z. M.; Laurens, S.; Balayssac, J.-P.; Ballivy, G.; and Arliguie, G., Nov.-Dec. 2006. 419
- Sbartaï, Z. M.**—Effect of concrete moisture on radar signal amplitude (103-M46) Nov.-Dec. 2006. 419
- Scanning electron microscopy**—Curing, hydration, and microstructure of cement paste (103-M39) Bentz, D. P., and Stutzman, P. E., Sept.-Oct. 2006. 348
- Schindler, A. K.**—Evaluation of temperature prediction methods for mass concrete members (103-M40) Sept.-Oct. 2006. 357
- Segregation**
—Effect of mixture design parameters on segregation of self-consolidating concrete (103-M42) El-Chabib, H., and Nehdi, M., Sept.-Oct. 2006. 374
—Performance-based specifications of self-consolidating concrete used in structural applications (103-M14) Hwang, S.-D.; Khayat, K. H.; and Bonneau, O., Mar.-Apr. 2006. 121
- Seismic**—Rapid-setting CLSM for bridge approach repair: a case study (103-M34) Du, L.; Arellano, M.; Folliard, K. J.; Nazarian, S.; and Trejo, D., Sept.-Oct. 2006. 312
- Self-consolidating concrete**
—Effect of viscosity-enhancing admixtures on formwork pressure and thixotropy of self-consolidating concrete (103-M31) Assaad, J. J., and Khayat, K. H., July-Aug. 2006. 280
—Effect of *w/cm* and high-range water-reducing admixture on forwork pressure and thixotropy of self-consolidating concrete (103-M21) Khayat, K. H., and Assaad, J. J., May-June 2006. 186
—Evaluation of plastic shrinkage cracking of self-consolidating concrete (103-M30) Turcay, P., and Loukili, A., July-Aug. 2006. 272
—Performance-based specifications of self-consolidating concrete used in structural applications (103-M14) Hwang, S.-D.; Khayat, K. H.; and Bonneau, O., Mar.-Apr. 2006. 121
—Self-consolidating concrete in fire (103-M15) Reinhardt, H. W., and Stegmaier, M., Mar.-Apr. 2006. 130
- Self-consolidating concrete in fire** (103-M15) Reinhardt, H. W., and Stegmaier, M., Mar.-Apr. 2006. 130
- Shah, S. P.**—Monitoring fiber dispersion in fiber-reinforced cementitious materials: comparison of AC-impedance spectroscopy and image analysis (103-M38) Sept.-Oct. 2006. 340
- Shaheen, E.**
—Optimization of mechanical properties and durability of reactive powder concrete (103-M49) Nov.-Dec. 2006. 444
—Reactive powder concrete anchorage for post-tensioning with carbon fiber-reinforced polymer tendons (103-M48) Nov.-Dec. 2006. 436
- Shear**
—Crack depths in desiccating plastic concrete (103-M10) Morris, P. H., and Dux, P. F., Mar.-Apr. 2006. 90
—Influence of concrete material ductility on shear response of stud connections (103-M08) Qian, S., and Li, V. C., Jan.-Feb. 2006. 60
—Shear failure of steel fiber-reinforced concrete based on push-off tests (103-M27) Barragán, B.; Gettu, R.; Agulló, L.; and Zerbino, R., July-Aug. 2006. 251
- Shear failure of steel fiber-reinforced concrete based on push-off tests** (103-M27) Barragán, B.; Gettu, R.; Agulló, L.; and Zerbino, R., July-Aug. 2006. 251
- Shells**—Effect of cryo-suction and air void transition layer on hydraulic pressure of freezing concrete (103-M16) Monteiro, P. J. M.; Coussy, O.; and Silva, D. A., Mar.-Apr. 2006. 136
- Shrinkage**
—Application of image analysis to monitor very early age shrinkage (103-M19) Ong, K. C. G., and Myint-Lay, K., May-June 2006. 169
—Assessing creep and shrinkage losses in post-tensioned concrete masonry (103-M47) Laursen, P. T.; Wight, G. D.; and Ingham, J. M., Nov.-Dec. 2006. 427
—Effect of cryo-suction and air void transition layer on hydraulic pressure of freezing concrete (103-M16) Monteiro, P. J. M.; Coussy, O.; and Silva, D. A., Mar.-Apr. 2006. 136
—Engineering properties of alkali-activated fly ash concrete (103-M12) Fernández-Jiménez, A. M.; Palomo, A.; and López-Hombrados, C., Mar.-Apr. 2006. 106
—Shrinkage of concrete containing greywacke sandstone aggregate (103-M44) Mackechnie, J. R., Sept.-Oct. 2006. 390
- Shrinkage cracking**—Evaluation of plastic shrinkage cracking of self-consolidating concrete (103-M30) Turcay, P., and Loukili, A., July-Aug. 2006. 272
- Shrinkage of concrete containing greywacke sandstone aggregate** (103-M44) Mackechnie, J. R., Sept.-Oct. 2006. 390
- Shrive, N. G.**
—Optimization of mechanical properties and durability of reactive powder concrete (103-M49) Nov.-Dec. 2006. 444
—Reactive powder concrete anchorage for post-tensioning with carbon fiber-reinforced polymer tendons (103-M48) Nov.-Dec. 2006. 436
- Silica fume**
—Optimization of mechanical properties and durability of reactive powder concrete (103-M49) Shaheen, E., and Shrive, N. G., Nov.-Dec. 2006. 444
—Reactive powder concrete anchorage for post-tensioning with carbon fiber-reinforced polymer tendons (103-M48) Shaheen, E., and Shrive, N. G., Nov.-Dec. 2006. 436
- Silva, D. A.**—Effect of cryo-suction and air void transition layer on hydraulic pressure of freezing concrete (103-M16) Mar.-Apr. 2006. 136
- Slabs**
—Auditory display in nondestructive testing of concrete (103-M32) Valenzuela, M. L.; Sansalone, M. J.; and Krumhansl, C. L., July-Aug. 2006. 288
—Effect of synthetic fibers on structural behavior of concrete slabs-on-ground (103-M01) Roesler, J. R.; Altoubat, S. A.; Lange, D. A.; Rieder, K.-A.; and Ulreich, G. R., Jan.-Feb. 2006. 3
—Method for determining internal P-wave speed and thickness of concrete plates (103-M36) Hu, M.-T.; Lin, Y.; and Cheng, C.-C., Sept.-Oct. 2006. 327
- Slag cement**—Use of granulated blast-furnace slag in concrete as fine aggregate (103-M23) Yüksel, I.; Özkan, Ö.; and Bilir, T., May-June 2006. 203
- Slump and slump flow for characterizing yield stress of fresh concrete** (103-M45) Chidiac, S. E.; Habibbeigi, F.; and Chan, D., Nov.-Dec. 2006. 413
- Spalling**—Self-consolidating concrete in fire (103-M15) Reinhardt, H. W., and Stegmaier, M., Mar.-Apr. 2006. 130
- Splitting tensile strength**—Evaluation of ratio between splitting tensile strength and compressive strength for concretes up to 120 MPa and its application in strength criterion (103-M03) Arioglu, N.; Girgin, Z. C.; and Arioglu, E., Jan.-Feb. 2006. 18
- Steel bars**—Corrosion of steel bars in concrete with various steel surface conditions (103-M25) Mohammed, T. U., and Hamada, H., July-Aug. 2006. 233
- Steel-concrete interface**—Corrosion of horizontal bars in concrete and method to delay early corrosion (103-M33) Mohammed, T. U., and Hamada, H., Sept.-Oct. 2006. 303
- Stegmaier, M.**—Self-consolidating concrete in fire (103-M15) Mar.-Apr. 2006. 130
- Strain**
—High-early-strength engineered cementitious composites (103-M11) Wang, S., and Li, V. C., Mar.-Apr. 2006. 97
—Phenomenological modeling of reinforcement corrosion in marine environments (103-M04) Melchers, R. E., and Li, C. Q., Jan.-Feb. 2006. 25
- Strength**
—Bearing strength of lightweight concrete (103-M51) Roberts-Wollmann, C. L.; Banta, T.; Bonetti, R.; and Charney, F., Nov.-Dec. 2006. 459
—Effect of mixture design parameters on segregation of self-consolidating concrete (103-M42) El-Chabib, H., and Nehdi, M., Sept.-Oct. 2006. 374
—Effect of synthetic fibers on structural behavior of concrete slabs-on-ground (103-M01) Roesler, J. R.; Altoubat, S. A.; Lange, D. A.; Rieder, K.-A.; and Ulreich, G. R., Jan.-Feb. 2006. 3
—Engineering properties of alkali-activated fly ash concrete (103-M12) Fernández-Jiménez, A. M.; Palomo, A.; and López-Hombrados, C., Mar.-Apr. 2006. 106
—Influence of concrete material ductility on shear response of stud connections (103-M08) Qian, S., and Li, V. C., Jan.-Feb. 2006. 60
—Self-consolidating concrete in fire (103-M15) Reinhardt, H. W., and Stegmaier, M., Mar.-Apr. 2006. 130

—Vertical porosity distributions in pervious concrete pavement (103-M50) Haselbach, L. M., and Freeman, R. M., Nov.-Dec. 2006	452
Stress —Evaluation of ratio between splitting tensile strength and compressive strength for concretes up to 120 MPa and its application in strength criterion (103-M03) Arıoglu, N.; Girgin, Z. C.; and Arıoglu, E., Jan.-Feb. 2006	18
Stutzman, P. E. —Curing, hydration, and microstructure of cement paste (103-M39) Sept.-Oct. 2006	348
Sulfate attack of mortars containing recycled fine aggregates (102-M24)	
—Lee, S. T.; Moon, H. Y.; Swamy, R. N.; Kim, S. S.; and Kim, J. P., July-Aug. 2005	224
—Disc. by Hime, W. G., May-June 2006	218
Sullivan, P. J. E. —Artificial neural networks in prediction of concrete strength reduction due to high temperature (Disc. 102-M11) Jan.-Feb. 2006	68

T

Tagnit-Hamou, A. —Properties of ternary and quaternary concrete incorporating new alternative cementitious material (103-M09) Mar.-Apr. 2006	83
Tamilselvan, T. —Air-void system of foamed concrete and its effect on mechanical properties (103-M06) Jan.-Feb. 2006	45
Tang, M.-S. —Effect of fly ash on deformation of roller-compacted concrete (103-M37) Sept.-Oct. 2006	336
Temperature —Evaluation of temperature prediction methods for mass concrete members (103-M40) Riding, K. A.; Poole, J. L.; Schindler, A. K.; Juenger, M. C. G.; and Folliard, K. J., Sept.-Oct. 2006	357
Temperature rise —Application of image analysis to monitor very early age shrinkage (103-M19) Ong, K. C. G., and Myint-Lay, K., May-June 2006	169
Tendon —Reactive powder concrete anchorage for post-tensioning with carbon fiber-reinforced polymer tendons (103-M48) Shaheen, E., and Shrive, N. G., Nov.-Dec. 2006	436
Tension —Crack depths in desiccating plastic concrete (103-M10) Morris, P. H., and Dux, P. F., Mar.-Apr. 2006	90
Test	
—Shear failure of steel fiber-reinforced concrete based on push-off tests (103-M27) Barragán, B.; Gettu, R.; Agulló, L.; and Zerbino, R., July-Aug. 2006	251
—Use of fuzzy neural network to evaluate effect of composition of fly ash in suppressing AAR (103-M18) Ming-yu, H., and Ming-shu, T., May-June 2006	161
Testing	
—Effect of synthetic fibers on structural behavior of concrete slabs-on-ground (103-M01) Roessler, J. R.; Altoubat, S. A.; Lange, D. A.; Rieder, K.-A.; and Ulreich, G. R., Jan.-Feb. 2006	3
—Experimental determination of modal damping in concrete beams (103-M17) Amick, H., and Monteiro, P. J. M., May-June 2006	153
—Monitoring fiber dispersion in fiber-reinforced cementitious materials: comparison of AC-impedance spectroscopy and image analysis (103-M38) Ozyurt, N.; Woo, L. Y.; Mason, T. O.; and Shah, S. P., Sept.-Oct. 2006	340
Thixotropy	
—Effect of viscosity-enhancing admixtures on formwork pressure and thixotropy of self-consolidating concrete (103-M31) Assaad, J. J., and Khayat, K. H., July-Aug. 2006	280
—Effect of <i>w/cm</i> and high-range water-reducing admixture on formwork pressure and thixotropy of self-consolidating concrete (103-M21) Khayat, K. H., and Assaad, J. J., May-June 2006	186
Three-day prediction of concrete compressive strength evolution (102-M25)	
—Viviani, M.; Glisic, B.; and Smith, I. F. C., July-Aug. 2005	231
—Disc. by Day, K. W., May-June 2006	218
Toughness	
—New, simple, practical method to characterize toughness of fiber-reinforced cement-based composites, A (103-M05) El-Ashkar, N. H., and Kurtis, K. E., Jan.-Feb. 2006	33
—Shear failure of steel fiber-reinforced concrete based on push-off tests (103-M27) Barragán, B.; Gettu, R.; Agulló, L.; and Zerbino, R., July-Aug. 2006	251
Trejo, D.	
—Corrosion of metallic materials in controlled low-strength materials—part 4 (103-M07) Jan.-Feb. 2006	53
—Rapid-setting CLSM for bridge approach repair: a case study (103-M34) Sept.-Oct. 2006	312
Turcyr, P. —Evaluation of plastic shrinkage cracking of self-consolidating	

concrete (103-M30) July-Aug. 2006	272
Two experimental methods to determine carbonation profiles in concrete (103-M29) Villain, G., and Piatret, G., July-Aug. 2006	265
Tyrer, M. —Measuring and predicting transport in composite cementitious barriers (103-M13) Mar.-Apr. 2006	113

U

Ulreich, G. R. —Effect of synthetic fibers on structural behavior of concrete slabs-on-ground (103-M01) Jan.-Feb. 2006	3
Ultrasonic —Ultrasonic frequency-dependent amplitude attenuation characteristics technique for nondestructive evaluation of concrete (103-M20) Ju, J. W.; Weng, L.-S.; and Liu, Y., May-June 2006	177
Ultrasonic frequency-dependent amplitude attenuation characteristics technique for nondestructive evaluation of concrete (103-M20) Ju, J. W.; Weng, L.-S.; and Liu, Y., May-June 2006	177
Use of fuzzy neural network to evaluate effect of composition of fly ash in suppressing AAR (103-M18) Ming-yu, H., and Ming-shu, T., May-June 2006	161
Use of granulated blast-furnace slag in concrete as fine aggregate (103-M23) Yüksel, I.; Özkan, Ö.; and Bilir, T., May-June 2006	203

V

Valenzuela, M. L. —Auditory display in nondestructive testing of concrete (103-M32) July-Aug. 2006	288
Vertical porosity distributions in pervious concrete pavement (103-M50) Haselbach, L. M., and Freeman, R. M., Nov.-Dec. 2006	452
Villain, G. —Two experimental methods to determine carbonation profiles in concrete (103-M29) July-Aug. 2006	265
Voids	
—Effect of cryo-suction and air void transition layer on hydraulic pressure of freezing concrete (103-M16) Monteiro, P. J. M.; Coussy, O.; and Silva, D. A., Mar.-Apr. 2006	136
—Ultrasonic frequency-dependent amplitude attenuation characteristics technique for nondestructive evaluation of concrete (103-M20) Ju, J. W.; Weng, L.-S.; and Liu, Y., May-June 2006	177

W

Walls

—Auditory display in nondestructive testing of concrete (103-M32) Valenzuela, M. L.; Sansalone, M. J.; and Krumhansl, C. L., July-Aug. 2006	288
—Method for determining internal P-wave speed and thickness of concrete plates (103-M36) Hu, M.-T.; Lin, Y.; and Cheng, C.-C., Sept.-Oct. 2006	327
Wang, S. —High-early-strength engineered cementitious composites (103-M11) Mar.-Apr. 2006	97
Water-cement ratio —Experimental determination of modal damping in concrete beams (103-M17) Amick, H., and Monteiro, P. J. M., May-June 2006	153
Water-cementitious material ratio —Effect of <i>w/cm</i> and high-range water-reducing admixture on formwork pressure and thixotropy of self-consolidating concrete (103-M21) Khayat, K. H., and Assaad, J. J., May-June 2006	186
Wee, T.-H. —Air-void system of foamed concrete and its effect on mechanical properties (103-M06) Jan.-Feb. 2006	45
Weng, L.-S. —Ultrasonic frequency-dependent amplitude attenuation characteristics technique for nondestructive evaluation of concrete (103-M20) May-June 2006	177
Wight, G. D. —Assessing creep and shrinkage losses in post-tensioned concrete masonry (103-M47) Nov.-Dec. 2006	427
Woo, L. Y. —Monitoring fiber dispersion in fiber-reinforced cementitious materials: comparison of AC-impedance spectroscopy and image analysis (103-M38) Sept.-Oct. 2006	340
Workability	
—Development of volcanic ash concrete: strength, durability, and microstructural investigations (103-M02) Hossain, K. M. A., and Lachemi, M., Jan.-Feb. 2006	11
—Effect of high levels of fines content on concrete properties (103-M53) Katz, A., and Baum, H., Nov.-Dec. 2006	474
—Performance-based specifications of self-consolidating concrete used in structural applications (103-M14) Hwang, S.-D.; Khayat, K. H.; and	

Bonneau, O., Mar.-Apr. 2006	121
Wrapping —Reactive powder concrete anchorage for post-tensioning with carbon fiber-reinforced polymer tendons (103-M48) Shaheen, E., and Shrive, N. G., Nov.-Dec. 2006	436
Wu, S.-X. —Effect of fly ash on deformation of roller-compacted concrete (103-M37) Sept.-Oct. 2006.	336
Wu, Z.-R. —Effect of fly ash on deformation of roller-compacted concrete (103-M37) Sept.-Oct. 2006.	336

Y

Yield —Slump and slump flow for characterizing yield stress of fresh concrete (103-M45) Chidiac, S. E.; Habibbeigi, F.; and Chan, D.,	
--	--

Nov.-Dec. 2006	413
Yilmaz, A. O. —In-place modulus of elasticity of high-performance concrete bridge (Disc. 102-M52) Sept.-Oct. 2006	397
Yüksel, I. —Use of granulated blast-furnace slag in concrete as fine aggregate (103-M23) May-June 2006.	203
Yüzer, N. —Evaluation of ratio between splitting tensile strength and compressive strength for concretes up to 120 MPa and its application in strength criterion (Disc. 103-M03) Nov.-Dec. 2006.	483

Z

Zerbino, R. —Shear failure of steel fiber-reinforced concrete based on push-off tests (103-M27) July-Aug. 2006.	251
---	-----

